

JavaScript QL cookbook

Overview

This space contains simple queries that show how to access basic JavaScript elements using the predicates defined by the standard JavaScript QL library. They're intended to give you a starting point for your own experiments and to help you work out the best way to frame your questions in QL. Note that if you have enabled TypeScript analysis, these queries will also find results in TypeScript files.

For other QL resources see:

- [QL for JavaScript](#)—an introduction to writing QL queries to analyze JavaScript projects
- [QL JavaScript standard library](#)—QL docs for the standard JavaScript QL libraries
- [Learning QL](#)—a guide to the various resources for learning how to write effective QL queries

Queries grouped by JavaScript element

1. A-B

- access
- argument
- arguments
- arithmetic
- attribute
- block
- brackets
- branch

2. C-D

- call
- callback
- class
- comment
- comparison
- computed
- conditional
- constant
- constructor
- declaration
- default

3. E-G

- ecmaascript
- empty
- equality
- eval
- even
- export
- expression
- field
- file
- function
- generator

4. H-M

- higher-order
- if
- immediately
- import
- index
- instantiation
- invoked
- jsx
- method
- module
- modulo

5. N-R

- name
- new
- non-strict
- parameter
- property
- quote
- read
- reference
- return

6. S-Z

- security
- single
- statement
- string
- template
- then
- todo
- variable
- write
- yield

7. 0-9

- 2015
- 6